

CUSTOMIZED

PROFILE LINEAR

—
ARCHITECTURAL
FLEXIBLE
PRECISE
BESPOKE



EDISON

LIGHTING



TAILORED
TO YOUR
SPACE

—

2026

Colors available against order

Metal Series



Fabric Texture Series



Leather Grain Series




Tiles Texture Series




Wood Grain Series




Soft Touch Series




More 300 Finish Available Against Order




• Accessories



Plus Connector




T Connector




Y Connector




60° Connector




90° Connector



120° Connector





Connector




Hanging Connector

SB-3570



FAMILY MODULES CONFIGURATIONS:



- CCT:**
 - 3000k
 - 4000k
 - 6000K
 - 3000k-6000k

Available Wire Color:

- Black
- White
- Clear

Hanging Kit Color:

- Black
- Clear

- Input Voltage:**
110v-240v / 50-60Hz

- Wattage Range:**
24v-43v 1000Ma (4ft)

- Operating Temperature:**
Capacity Upto 85°C

- Beam Angle:** 24° - 120°
- CRI:** Ra≥90

- Lumens:**
110lums - 130lums
(3000k) - (6500k)

- Wattage:**
40w/60w (4ft)

- Power Factor:**
0.50/0.90

- Sizes Available:**
1ft-16ft

Drivers:



2 Years Warranty



4 Years Warranty



4 Years Warranty

Product Technology:




LED Engine:



Available Finish:



Sand Black



Sand White



Hermes Leather



Cherry Wood



White Oak



Rose Wood




Antique Brass




Antique Copper

More
300 Finish
Available
Against Order

SB-5080



FAMILY MODULES CONFIGURATIONS:



- CCT:**
 - 3000k
 - 4000k
 - 6000K
 - 3000k-6000k

Available Wire Color:

- Black
- White
- Clear

Hanging Kit Color:

- Black
- Clear

Input Voltage:

110v-240v / 50-60Hz

Wattage Range:

24v-43v 1000Ma (4ft)

Operating Temperature:

Capacity Upto 85°C

Beam Angle:

24° - 120°

CRI:

Ra≥90

Lumens:

110lums - 130lums
(3000k) - (6500k)

Wattage:

40w/60w (4ft)

Power Factor:

0.50/0.90

Sizes Available:

1ft-16ft

Drivers:



2 Years Warranty



4 Years Warranty



4 Years Warranty

Product Technology:




LED Engine:



Available Finish:



Sand Black



Sand White



Hermes Leather



Cherry Wood



White Oak



Rose Wood




Antique Brass



Antique Copper

More
300 Finish
Available
Against Order

SB-7075



- **CCT:**
 - 3000k
 - 4000k
 - 6000K
 - 3000k-6000k

- **Available Wire Color:**

- Black
- White
- Clear

- **Hanging Kit Color:**

- Black
- Clear

- **Input Voltage:**
110v-240v / 50-60Hz

- **Wattage Range:**
24v-43v 1000Ma (4ft)

- **Operating Temperature:**
Capacity Upto 85°C

- **Beam Angle:** 120°
- **CRI:** Ra≥90

- **Lumens:**
110lums - 130lums
(3000k) - (6500k)

- **Wattage:**
40w/60w (4ft)

- **Power Factor:**
0.50/0.90

- **Sizes Available:**
1ft-16ft

- **Drivers:**




- **Product Technology:**




- **LED Engine:**



- **Available Finish:**



Sand Black



Sand White



Hermes Leather



Cherry Wood



White Oak



Rose Wood



Antique Brass






Antique Copper

More
300 Finish
Available
Against Order



SB-8075



- **CCT:**
 - 3000k
 - 4000k
 - 6000K
 - 3000k-6000k

- **Available Wire Color:**

- Black
- White
- Clear

- **Hanging Kit Color:**

- Black
- Clear

- **Input Voltage:**
110v-240v / 50-60Hz

- **Wattage Range:**
24v-43v 1000Ma (4ft)

- **Operating Temperature:**
Capacity Upto 85°C

- **Beam Angle:** 120°
- **CRI:** Ra≥90

- **Lumens:**
110lums - 130lums
(3000k) - (6500k)

- **Wattage:**
40w/60w (4ft)

- **Power Factor:**
0.50/0.90

- **Sizes Available:**
1ft-16ft

- **Drivers:**




- **Product Technology:**




- **LED Engine:**



- **Available Finish:**



Sand Black



Sand White



Hermes Leather



Cherry Wood



White Oak



Rose Wood




Antique Brass



Antique Copper

More
300 Finish
Available
Against Order

SB-10075



- **CCT:**
 - 3000k
 - 4000k
 - 6000K
 - 3000k-6000k

• Available Wire Color:

- Black
- White
- Clear

• Hanging Kit Color:

- Black
- Clear

- **Input Voltage:**
110v-240v / 50-60Hz

- **Wattage Range:**
24v-43v 1000Ma (4ft)

- **Operating Temperature:**
Capacity Upto 85°C

- **Beam Angle:** 120°
- **CRI:** Ra≥90

- **Lumens:**
110lums - 130lums
(3000k) - (6500k)

- **Wattage:**
40w/60w (4ft)

- **Power Factor:**
0.50/0.90

- **Sizes Available:**
1ft-16ft

• Drivers:




• Product Technology:




• LED Engine:



• Available Finish:



Sand Black



Sand White



Hermes Leather



Cherry Wood



White Oak



Rose Wood



Antique Brass



Antique Copper


More
300 Finish
Available
Against Order





- **SIZE**

SB-15027




- AVAILABLE COLORS


Available in **3.6 meters** long length




Step.1 - Install the profile with the screw on required surface.




Step.2 - Install the COB strip on given profile.



Step.3 - Connect COB strip with the driver and check the connection.




Step.4 - Attach the acrylic on given profile.





• SIZE

SB-8146




• AVAILABLE COLORS


Available in **3.6 meters** long length




Step.1 - Check the size required to install the profile.




Step.2 - Add extension metal plate if required for a long length.




Step.3 - Install the COB strip on given profile.




Step.4 - Connect COB strip with the driver and check the connection then attach the acrylic on given profile.



Step.5 - Install the profile with the screw on required surface.



Step.6 - Now fill the POP on installed screw to give the final finish.




One profile, two styles



• SIZE

SB-12030



• AVAILABLE COLORS

Available in 3.6 meters long length



Cherry Wood




Rose Wood




White Oak

Style.1




Style.2




Step.1 - Install the profile with the screw on required surface.

Style.1




Style.2




Step.2 - Connect COB strip with the driver and check the connection.

Style.1




Style.2




Step.3 - Attach the acrylic on given profile.

Style.1




Style.2





• **SIZE**

SB-9292



• **AVAILABLE COLORS**

Available in **3.6 meters** long length



Rose Wood




Cherry Wood




White Oak


Step.1 - Check the size required to install the profile.




Step.2 - Install the profile with the screw on required surface.



Step.3 - Connect COB strip with the driver and check the connection.



Step.4 - Attach the acrylic on given profile.



EDISON

LIGHTING

BANGALORE

#704, GROUND FLOOR, 5TH E CROSS,
2ND BLOCK, KALYAN NAGAR,
BANGALORE - 560043.

MOBILE : 9731196786

OFFICE : 9980727711

EMAIL : sogi@edisonlighting.in

EMAIL 2 : sahil@edisonlighting.in

HYDERABAD

LED LIGHTING SOLUTIONS
1ST FLOOR, PINK COCONUT BUILDING
JUBILEE HILLS ROAD NO.13

HYDERABAD, TELANGANA - 500033

MOBILE : 9666666808

OFFICE : 9889886867

EMAIL : sales.hyd@edisonlighting.in



TAILORED
TO YOUR
SPACE

Beyond the Catalogue

Discover what we are creating next.



CUSTOMIZED
PROFILE LINEAR

2026