

EDISON

LIGHTING



ARCHITECTURAL
PRODUCT PROFILE
— 2025-26

MODULAR COB SPOT LIGHT SERIES

PRECISION LIGHTING
FOR MODERN SPACES

MODULE S



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	Ø55mm / Ø75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20


LM



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	24° / 36° / 60°	Ø75mm / Ø95mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

BM



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	Ø75mm / Ø95mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

GM



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	55 x 55mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

FM



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	85 x 55mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

SLOT-S



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	24° / 36°	75 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

SLOT-2



WATTAGE	BEAM ANGLE	CUTOUT
2 x 7W / 2 x 12W	24° / 36°	145 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

SLOT-3



WATTAGE	BEAM ANGLE	CUTOUT
3 x 7W / 3 x 12W	24° / 36°	215 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

AG



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	Ø75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

AGT



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	15° / 24° / 36°	Ø75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

MML-S



WATTAGE	BEAM ANGLE	CUTOUT
7W / 12W	24° / 36°	75 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

MML-2



WATTAGE	BEAM ANGLE	CUTOUT
2 x 7W / 2 x 12W	24° / 36°	145 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

MML-3



WATTAGE	BEAM ANGLE	CUTOUT
3 x 7W / 3 x 12W	24° / 36°	215 x 75mm

CCT 2700K | 3000K | 4000K
 CRI >90
 IP IP20

EDISON

10MM MAGNETIC TRACK LIGHT SERIES

COLOUR AVAILABLE



NEW

MAGNETIC TRACK SURFACE



MODEL	TYPE	LENGTH	COLOUR
MT-S-1M	Surface Track	1 Meter	Black
MT-S-2M	Surface Track	2 Meter	Black

MAGNETIC TRACK RECESSED



MODEL	TYPE	LENGTH	COLOUR
MT-R-1M	Recessed Track	1 Meter	Black
MT-R-2M	Recessed Track	2 Meter	Black

MAGNETIC TRACK SURFACE SPOT



MODEL	TYPE	WATTAGE	COLOUR
MT-SP-7W	Surface Spot	7W	Black
MT-SP-12W	Surface Spot	12W	Black

MAGNETIC TRACK SLIM



MODEL	TYPE	LENGTH	COLOUR
MT-SL-1M	Slim Track	1 Meter	Black
MT-SL-2M	Slim Track	2 Meter	Black

MAGNETIC TRACK MULTI-PORT



MODEL	TYPE	LENGTH	COLOUR
MT-MP-1M	Multi-Port Track	1 Meter	Black

MAGNETIC TRACK CONNECTION ACCESSORIES



Straight Module Input Module Corner Module

MODEL	TYPE	COLOUR
MT-CON-S	Straight Module	Black
MT-CON-I	Input Module	Black
MT-CON-C	Corner Module	Black

MAGNETIC TRACK CONCEALED CONNECTOR



Concealed 'L'

Surface 'L'

MODEL	TYPE	COLOUR
MT-CL	Concealed 'L'	Black
MT-SL	Surface 'L'	Black

MAGNETIC TRACK END CAP



MODEL	TYPE	COLOUR
MT-END	End Cap	Black



TUNABLE
COLOUR

SLEEK TRACKS.
ENDLESS POSSIBILITIES.

EDISON


10MM MAGNETIC TRACK LIGHT SERIES

EDISON

COLOUR AVAILABLE




RECESSED MAGNETIC TRACK



MODEL	LENGTH	INSTALLATION	COLOUR
MT-R-1M	1 Meter	Recessed	Black
MT-R-2M	2 Meter	Recessed	Black

SURFACE MAGNETIC TRACK



MODEL	LENGTH	INSTALLATION	COLOUR
MT-S-1M	1 Meter	Surface	Black
MT-S-2M	2 Meter	Surface	Black

SURFACE SPOT LIGHT



MODEL	WATTAGE	COLOUR
MT-SP-7W	7W	Black
MT-SP-12W	12W	Black

LINEAR MODULE



MODEL	LENGTH	WATTAGE	COLOUR
MT-LM-300	300mm	6W	Black
MT-LM-600	600mm	12W	Black
MT-LM-900	900mm	18W	Black

FLOOD MODULE



MODEL	LENGTH	WATTAGE	COLOUR
MT-FM-300	300mm	6W	Black
MT-FM-600	600mm	12W	Black

COMPATIBLE WITH

- DALI (Now Available)
- DT-8 Single Colour
- DT-8 3CCT
- BLE+RC
- Zigbee

SLIM MAGNETIC TRACK



MODEL	LENGTH	INSTALLATION	COLOUR
MT-SL-1M	1 Meter	Surface	Black
MT-SL-2M	2 Meter	Surface	Black

PENDANT TRACK LIGHT



MODEL	WATTAGE	COLOUR
MT-P-7W	7W	Black / White
MT-P-12W	12W	Black / White

RGB LINEAR MODULE



MODEL	LENGTH	WATTAGE	COLOUR
MT-RGB-300	300mm	9W	Black
MT-RGB-600	600mm	18W	Black

ADJUSTABLE MODULE



MODEL	WATTAGE	LENGTH	COLOUR
MT-ADJ-12W	12W	300mm	Black
MT-ADJ-24W	24W	600mm	Black

TILT MODULE



MODEL	WATTAGE	COLOUR
MT-T-6W	6W	Black
MT-T-12W	12W	Black

POWER SUPPLY



MODEL	WATTAGE	OUTPUT
MT-PS-100	100W	24V DC
MT-PS-200	200W	24V DC

VERTICAL CONNECTOR



MODEL	TYPE	COLOUR
MT-VC-I	Inside Corner	Black
MT-VC-O	Outside Corner	Black

CONNECTORS



MODEL	TYPE	COLOUR
MT-CON-C	Corner Module	Black
MT-CON-S	Straight Module	Black
MT-CON-F	Flexible Module	Black

END CAP



MODEL	TYPE	COLOUR
MT-END-L	Left End Cap	Black
MT-END-R	Right End Cap	Black



TUNABLE COLOUR

EDISON

FLEXIBLE LIGHTING FOR MODERN SPACES

5MM SURFACE MAGNETIC TRACK LIGHT SERIES

COLOURS AVAILABLE



SURFACE TRACK



MODEL	LENGTH	COLOUR
ST-5-1M	1 Meter	Black
ST-5-2M	2 Meter	Black

SURFACE TRACK WITH DIFFUSER



MODEL	LENGTH	COLOUR
STD-5-1M	1 Meter	Black
STD-5-2M	2 Meter	Black

SURFACE SPOT LIGHT



MODEL	WATTAGE	COLOUR
SP-5-7W	7W	Black
SP-5-12W	12W	Black

LINEAR MODULE



MODEL	WATTAGE	LENGTH	COLOUR
LM-5-6W	6W	300mm	Black
LM-5-12W	12W	600mm	Black

WALL WASHER MODULE



MODEL	WATTAGE	LENGTH	COLOUR
WW-5-12W	12W	300mm	Black
WW-5-24W	24W	600mm	Black

FLEXIBLE CONNECTOR




MODEL	TYPE	LENGTH	COLOUR
FC-5	Flexible Connector	200mm	Black

CONNECTOR SET



MODEL	TYPE	COLOUR
CON-S-S	Straight Connector	Black
CON-S-L	L Connector	Black

POWER SUPPLY



MODEL	WATTAGE	OUTPUT	COLOUR
PS-5-60	60W	24V DC	Black
PS-5-100	100W	24V DC	Black

TUNABLE
COLOUR

EDISON

COMPACT LIGHTING. BIG POSSIBILITIES.

PREMIUM SPOT

LIGHT SERIES

EDISON
FOCUSED LIGHT. REFINED SPACES.

MODEL
DOUBLE
CABLE LIGHT



NEW




POWER	FIXTURE SIZE	LAMP SIZE	BODY COLOR
2 x 7W	Ø104 x H715mm	Ø52mm	Black

MODEL
TRIPLE
CABLE LIGHT



NEW



POWER	FIXTURE SIZE	LAMP SIZE	BODY COLOR
3 x 7W	Ø104 x H1050mm	Ø52mm	Black

MODEL
ZENITH
SPIKE



NEW




POWER	FIXTURE SIZE	LAMP SIZE	BODY COLOR
3 x 1W	Ø24 x H200mm	Ø40 x 30mm	Black

MODEL
DIAMOND
SPOT



NEW

CREE PHILIPS FULHAM



POWER	FIXTURE SIZE	CUTOUT SIZE	BODY COLOR	REFLECTOR COLOR
7W	Ø52 x H70mm	Ø45mm	White	White
12W	Ø62 x H80mm	Ø55mm	White	White
16W	Ø72 x H88mm	Ø65mm	White	White

MODEL
LASER
WALL WASHER



NEW

CREE PHILIPS FULHAM



POWER	FIXTURE SIZE	CUTOUT SIZE	BODY COLOR	REFLECTOR COLOR
12 x 1.5W	L320 x W64 x H49mm	L175 x 52mm	White	Black + Honeycomb



TUNABLE
COLOUR

EDISON

SMALL DETAILS. A BRIGHTER TOMORROW.

PREMIUM SPOT LIGHT SERIES

EDISON

CRAFTED FOR EVERY SPACE

MODEL
GRAND SPOT



CREE PHILIPS *FULHAM*




POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø75mm	Ø85mm	White / Black
12W	Ø95mm	Ø105mm	White / Black
18W	Ø115mm	Ø125mm	White / Black

MODEL
COLUMN SPOT




CREE PHILIPS *FULHAM*




POWER	CUTOUT SIZE	HEIGHT	BODY COLOUR
7W	Ø55mm	95mm	White / Grey / Black
12W	Ø75mm	125mm	White / Grey / Black
18W	Ø95mm	150mm	White / Grey / Black

MODEL
CRI SPOT



CREE PHILIPS *FULHAM*



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
20W	Ø100mm	Ø110mm	White
30W	Ø125mm	Ø135mm	White
40W	Ø150mm	Ø160mm	White

MODEL
SLIM SPOT




CREE PHILIPS *FULHAM*



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø55mm	Ø65mm	White / Black
12W	Ø75mm	Ø85mm	White / Black
18W	Ø95mm	Ø105mm	White / Black
24W	Ø120mm	Ø130mm	White / Black

MODEL
TRIMLESS SPOT



CREE PHILIPS *FULHAM*



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø50mm	Ø62mm	White / Black
12W	Ø70mm	Ø82mm	White / Black
18W	Ø90mm	Ø102mm	White / Black
20W	Ø100mm	Ø112mm	White / Black



TUNABLE
COLOUR

EDISON

PRECISE LIGHTING. PREMIUM SPACES.

PREMIUM SPOT LIGHT SERIES

CRAFTED FOR EVERY SPACE

MODEL REFLECTOR SPOT



CREE **PHILIPS** **FULHAM**



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø65mm	Ø75mm	White / Chrome
12W	Ø85mm	Ø95mm	White / Chrome
18W	Ø95mm	Ø110mm	White / Chrome

MODEL FLANGE SPOT



CREE **PHILIPS** **FULHAM**



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø65mm	Ø92mm	White / Black
12W	Ø75mm	Ø102mm	White / Black
18W	Ø95mm	Ø122mm	White / Black

NEW

MODEL RECESSED CYLINDER SPOT



CREE **PHILIPS** **FULHAM**




POWER	CUTOUT SIZE	OUTER DIA	HEIGHT	BODY COLOUR
12W	Ø75mm	Ø100mm	90mm	White

MODEL ADJUSTABLE GIMBAL SPOT



CREE **PHILIPS** **FULHAM**



POWER	CUTOUT SIZE	OUTER DIA	HEIGHT	BODY COLOUR
7W	Ø70mm	Ø85mm	75mm	White / Black
12W	Ø90mm	Ø105mm	90mm	White / Black

MODEL SURFACE CYLINDER SPOT



CREE **PHILIPS** **FULHAM**



POWER	DIAMETER	HEIGHT	BODY COLOUR
7W	Ø75mm	100mm	White / Black
12W	Ø100mm	125mm	White / Black
18W	Ø120mm	150mm	White / Black



TUNABLE
COLOUR

EDISON

LIGHT THAT ELEVATES TOMORROW

PREMIUM SPOT

LIGHT SERIES

PRECISION LIGHTING.
MODERN SPACES.

MODEL MAGNETIC SPOT TRACK



CREE
PHILIPS
FULHAM



POWER	LENGTH	SIZE (W x H)	BODY COLOUR
7W	300mm	26 x 24mm	White / Black
14W	600mm	26 x 24mm	White / Black
48W	1200mm	26 x 24mm	White / Black

MODEL MINI RECESSED SPOT



CREE
PHILIPS
FULHAM



POWER	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
3W	Ø55mm	Ø50mm	Black	10° / 24°

MODEL ADJUSTABLE RECESSED SPOT



CREE
PHILIPS
FULHAM



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø75mm	Ø85mm	White / Black

NEW

MODEL DEEP RECESSED SPOT



CREE
PHILIPS
FULHAM



POWER	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
12W	Ø85mm	Ø75mm	Black / White	15° / 24°

MODEL FLORAL SPOT



CREE
PHILIPS
FULHAM



POWER	CUTOUT SIZE	OUTER DIA	BODY COLOUR
7W	Ø75mm	Ø90mm	White
12W	Ø95mm	Ø110mm	White
18W	Ø120mm	Ø135mm	White
24W	Ø145mm	Ø160mm	White



TUNABLE
COLOUR

EDISON

SMALL DETAILS. A BRIGHTER TOMORROW.

PREMIUM SPOT LIGHT SERIES

PRECISION LIGHTING.
MODERN SPACES.

MODEL GLARELESS SPOT

NEW



CREE
PHILIPS *FULHAM*



POWER	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
7W	Ø85mm	Ø75mm	White / Black	15° / 24° / 36°
12W	Ø110mm	Ø95mm	White / Black	15° / 24° / 36°
18W	Ø130mm	Ø120mm	White / Black	15° / 24° / 36°
24W	Ø165mm	Ø150mm	White / Black	15° / 24° / 36°

MODEL DOUBLE RECESSED SPOT



CREE
PHILIPS *FULHAM*



POWER	SIZE (L x W x H)	CUTOUT	BODY COLOUR	BEAM ANGLE
2 x 7W	178 x 87 x 65mm	165 x 75mm	White / Black	15° / 24° / 36°
2 x 12W	236 x 110 x 75mm	220 x 95mm	White / Black	15° / 24° / 36°
2 x 18W	320 x 140 x 85mm	300 x 125mm	White / Black	15° / 24° / 36°

MODEL ALPHA SPOT



CREE
PHILIPS *FULHAM*



POWER	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
7W	Ø60mm	Ø55mm	White / Black	15° / 24° / 36°
12W	Ø80mm	Ø75mm	White / Black	15° / 24° / 36°
18W	Ø100mm	Ø90mm	White / Black	15° / 24° / 36°

MODEL SLIM ELBOW SPOT



CREE
PHILIPS *FULHAM*



POWER	TYPE	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
6-12W	FIXED	Ø70mm	Ø60mm	White / Black	24°
6-12W	ADJUSTABLE	Ø70mm	Ø60mm	White / Black	24°
12-24W	ADJUSTABLE	Ø90mm	Ø75mm	White / Black	24°

MODEL TRIMLESS ELBOW SPOT



CREE
PHILIPS *FULHAM*



POWER	TYPE	OUTER DIA	CUTOUT	BODY COLOUR	BEAM ANGLE
6-12W	FIXED	Ø70mm	Ø60mm	White / Black	24°
6-12W	ADJUSTABLE	Ø70mm	Ø60mm	White / Black	24°
12-24W	ADJUSTABLE	Ø90mm	Ø75mm	White / Black	24°



TUNABLE
COLOUR

EDISON

SMALL DETAILS. A BRIGHTER TOMORROW.

PREMIUM SPOT

L I G H T S E R I E S

PRECISION LIGHTING.
MODERN SPACES.

MODEL GLOW WALL GRAZER



CREE
PHILIPS *FULHAM*




POWER	OUTER DIA	CUTOUT	BODY COLOR	REFLECTOR COLOR
6-12W	Ø82 × 70mm	Ø75mm	White	Chrome
16-20W	Ø102 × 85mm	Ø95mm	White	Chrome

MODEL SURFACE DRUM



NEW

CREE
PHILIPS *FULHAM*



POWER	SIZE (Ø x H)	BODY COLOR
12W	Ø72 × 67mm	White / Black
18W	Ø90 × 80mm	White / Black
25W	Ø130 × 107mm	White / Black

MODEL IP 65 SURFACE CYLINDER



NEW

IP 65

CREE
PHILIPS *FULHAM*



POWER	SIZE (Ø x H)	BODY COLOR
12W	Ø75 × 81mm	Black / White
18W	Ø92 × 101mm	Black / White
25W	Ø115 × 125mm	Black / White

MODEL CELLO SPOT DRUM



CREE
PHILIPS *FULHAM*



POWER	TYPE	SIZE (Ø x H)	BODY COLOR	REFLECTOR COLOR
12W	SPOT	Ø102 × 68mm	White / Black	White / Black
20W	SPOT	Ø115 × 84mm	White / Black	White / Black

MODEL CELLO DIFFUSED DRUM



CREE
PHILIPS *FULHAM*



POWER	TYPE	SIZE (Ø x H)	BODY COLOR
12W	DIFFUSED	Ø102 × 75mm	White / Black
20W	DIFFUSED	Ø115 × 84mm	White / Black



TUNABLE
COLOUR

EDISON

SMALL DETAILS. A BRIGHTER TOMORROW.

CLIQ MODULAR SPOT LIGHT SERIES

DETAILS THAT FIT.
LIGHT THAT LASTS.

MODEL CLIQ FIX FRAME



Frame Type	Size (L x W x H)	Cutout Size	Body Colour
Single Frame	36 x 36 x 62 mm	30 x 30 mm	White / Black
Twin Frame	68 x 36 x 62 mm	62 x 30 mm	White / Black
Triple Frame	100 x 36 x 62 mm	94 x 30 mm	White / Black
Quad Frame	132 x 36 x 62 mm	126 x 30 mm	White / Black

MODEL CLIQ TRIMLESS FRAME




Frame Type	Size (L x W x H)	Cutout Size	Body Colour
Single Frame	86 x 86 x 62 mm	82 x 82 mm	Black
Twin Frame	120 x 86 x 62 mm	116 x 82 mm	Black
Triple Frame	160 x 86 x 62 mm	156 x 82 mm	Black
Quad Frame	200 x 86 x 62 mm	196 x 82 mm	Black

MODEL CLIQ BLIND MODULE




Power	Size (L x W x H)	Body Colour
NA	27 x 27 x 50 mm	White / Black

MODEL CLIQ CHIMNEY MODULE



Power	Size (L x W x H)	Body Colour
NA	27 x 27 x 60 mm	White / Black

MODEL CLIQ ADJUSTABLE SPOT



Power	Size (L x W x H)	Body Colour
NA	27 x 27 x 68 mm	White / Black



TUNABLE
COLOUR

EDISON

MODULAR SOLUTIONS. ENDLESS POSSIBILITIES.

CLIQ MODULAR SPOT LIGHT SERIES

MODULAR DETAILS.
MAXIMUM FLEXIBILITY.

MODEL
CLIQ SINGLE LACER



CREE  PHILIPS *FULHAM*



POWER	FEATURE SIZE	BODY COLOUR	REFLECTOR COLOUR
7W	31 × 31 × 50 mm	Black	Shiny Black

MODEL
CLIQ TWIN LACER



CREE  PHILIPS *FULHAM*



POWER	FEATURE SIZE	BODY COLOUR	REFLECTOR COLOUR
2 × 7W	57 × 31 × 50 mm	Black	Shiny Black

MODEL
CLIQ LINEAR




CREE  PHILIPS *FULHAM*



POWER	FEATURE SIZE	BODY COLOUR
12W	37 × 27 × 60 mm	White / Black

MODEL
CLIQ WALL WASH




CREE  PHILIPS *FULHAM*



POWER	FEATURE SIZE	BODY COLOUR	REFLECTOR COLOUR
7W	30 × 30 × 50 mm	White / Black	Black

MODEL
CLIQ DOUBLE LACER



CREE  PHILIPS *FULHAM*



POWER	FEATURE SIZE	BODY COLOUR	REFLECTOR COLOUR
2 × 7W	57 × 27 × 50 mm	White / Black	Black



TUNABLE
COLOUR

EDISON

SMALL MODULES. BIG POSSIBILITIES.

COB SPOT LIGHT S E R I E S

FOCUS ON WHAT
MATTERS.

MODEL PRODIGY SPOT



CREE  PHILIPS  **FULHAM**



POWER	OUTER DIA	CUTOUT	BODY COLOUR
7W	Ø62 × H60mm	Ø55mm	White / Black / Silver
12W	Ø82 × H65mm	Ø75mm	White / Black / Silver
12W SQ	□110 × H115mm	Ø95mm	White / Black / Silver
2 × 12W	168 × 82 × H95mm	160 × 75mm	White / Black / Silver

MODEL PRODIGY TRIMLESS SPOT



CREE  PHILIPS  **FULHAM**



POWER	FEATURE SIZE	CUTOUT	BODY COLOUR
7W	Ø62 × H60mm	Ø55mm	White / Black / Silver
12W	Ø102 × H62mm	Ø75mm	White / Black / Silver
18W	Ø130 × H75mm	Ø95mm	White / Black / Silver

MODEL PINHOLE SPOT



CREE  PHILIPS  **FULHAM**



POWER	FEATURE SIZE	CUTOUT	TYPE	BODY COLOUR
12W	Ø62 × H62mm	Ø75mm	PINHOLE	White / Black
24W	Ø82 × H68mm	Ø75mm	OVAL CUT	White / Black

TRIMLESS ALSO AVAILABLE

NEW

MODEL JENGA SPOT



CREE  PHILIPS  **FULHAM**



POWER	FEATURE SIZE	CUTOUT	REFLECTOR COLOR	BODY COLOUR
7-9W	Ø62 × H75mm	Ø55mm	White / Black / Silver	White / Black
15W	Ø82 × H115mm	Ø75mm	White / Black / Silver	White / Black
20W	Ø105 × H145mm	Ø95mm	White / Black / Silver	White / Black

MODEL TRIMLESS RING SPOT



CREE  PHILIPS  **FULHAM**



POWER	FEATURE SIZE	CUTOUT	REFLECTOR COLOR	BODY COLOUR
7-9W	Ø62 × H75mm	Ø55mm	White / Black / Silver	White / Black
12-15W	Ø102 × H145mm	Ø75mm	White / Black / Silver	White / Black
18-20W	Ø132 × H160mm	Ø95mm	White / Black / Silver	White / Black



TUNABLE
COLOUR

EDISON

SMALL SPOTS. BIG IMPACT.

POLO PREMIUM SPOT

L I G H T S E R I E S

BUILT TO BLEND
DESIGNED TO SHINE

MODEL: POLO SPOT



CREE PHILIPS *FULHAM*

Power	Outer Dia	Cutout	Body Color
7W	Ø80mm	Ø75mm	White/Black
2 × 7W	164 × 84mm	150 × 75mm	White/Black

MODEL: POLO ZOOM

NEW



CREE PHILIPS *FULHAM*



Power	Outer Dia	Cutout	Body Color
12W	Ø85mm	Ø75mm	White/Black

MODEL: POLO FROST



CREE PHILIPS *FULHAM*



Power	Outer Dia	Cutout	Body Color
15W	Ø100mm	Ø90mm	White/Black

MODEL: POLO ADJUSTABLE



CREE PHILIPS *FULHAM*



Power	Outer Dia	Cutout	Body Color
12W	Ø85mm	Ø75mm	White/Black

MODEL: POLO PRO

NEW



CREE PHILIPS *FULHAM*



Power	Outer Dia	Cutout	Body Color
18W	Ø90mm	Ø75mm	White/Black



ADJUSTABLE



TUNABLE
COLOUR



PREMIUM BUILD



WIDE APPLICATION

EDISON

COB SPOT LIGHT S E R I E S

LINEAR. FOCUSED.
TIMELESS.

MODEL LINEAR NEO



CREE
PHILIPS *FULHAM*



Power	Fixture Size	Cutout Size	Body Colour	Reflector Colour
6W	146 x 45 x 32 mm	142 x 37 mm	White / Black	Black
10W	266 x 45 x 32 mm	262 x 37 mm	White / Black	Black
20W	542 x 45 x 32 mm	272 x 37 mm	White / Black	Black

MODEL TILTABLE LINEAR NEO



CREE
PHILIPS *FULHAM*



Power	Feature Size	Cutout Size	Body Colour	Reflector Colour
12W	174 x 45 x 44 mm	150 x 41 mm	White	Black
20W	295 x 45 x 44 mm	290 x 41 mm	White	Black

MODEL EXTRA DEEP SPOT



CREE
PHILIPS *FULHAM*



Power	Feature Size	Cutout Size	Body Colour
7W	Ø52 x H75 mm	Ø50 mm	White
12W	Ø75 x H100 mm	Ø70 mm	White
18W	Ø92 x H125 mm	Ø85 mm	White

MODEL STELLA SPOT



CREE
PHILIPS *FULHAM*



Power	Feature Size	Cutout Size	Body Colour	Anti-Glare Reflector
7W	Ø62 x H60 mm	Ø55 mm	White / Black	S. BK / WH / RG / CH
12/15W	Ø82 x H75 mm	Ø75 mm	White / Black	S. BK / WH / RG / CH
18W	Ø108 x H110 mm	Ø95 mm	White / Black	S. BK / WH / RG / CH

- Multiple Anti-Glare Reflector Options
- Downlight and Wall Wash Options

- Anti-Glare Colored Metallic Reflector Options
- 24 degree Tilttable

MODEL STELLA TILTBL SPOT



CREE
PHILIPS *FULHAM*



Power	Fixture Size	Cutout Size	Body Colour	Anti-Glare Reflector
7W	Ø62 x H60 mm	Ø55 mm	White / Black	S. BK / WH / RG / CH
12/15W	Ø82 x H75 mm	Ø75 mm	White / Black	S. BK / WH / RG / CH
18W	Ø108 x H110 mm	Ø95 mm	White / Black	S. BK / WH / RG / CH

- Multiple Anti-Glare Reflector Options
- Downlight and Wall Wash Options

- Anti-Glare Colored Metallic Reflector Options
- 24 degree Tilttable



TUNABLE
COLOUR

EDISON

PRECISION LIGHTING. MODERN SPACES.

DELTA PLUS

MODULAR COB SPOT LIGHT

MODULAR DESIGN.
MAXIMUM IMPACT.

MODEL: DELTA PLUS



CREE PHILIPS | **OR OPTICS FULHAM**



Power	Outer Dia	Cutout	Body Color	Anti-Glare Reflector
7W	Ø62mm	Ø55mm	White/Black	Silver / Black / Rose Gold / Chrome
10W	Ø82mm	Ø75mm	White/Black	Silver / Black / Rose Gold / Chrome
15W	Ø95mm	Ø85mm	White/Black	Silver / Black / Rose Gold / Chrome
20W	Ø110mm	Ø100mm	White/Black	Silver / Black / Rose Gold / Chrome

- Modular and Clean Architectural Look
- Professional Optics
- Available in Multiple Beam Options
- Designer Finishes

MODEL: TRIMLESS DELTA PLUS



CREE PHILIPS | **OR OPTICS FULHAM**



Power	Outer Dia	Cutout	Body Color	Anti-Glare Reflector
7W	Ø75mm	Ø65mm	White	White / Black / Rose Gold / Chrome
10W	Ø90mm	Ø80mm	White	White / Black / Rose Gold / Chrome
15W	Ø110mm	Ø100mm	White	White / Black / Rose Gold / Chrome
20W	Ø130mm	Ø120mm	White	White / Black / Rose Gold / Chrome

- Trimless Minimal Design
- Seamless Ceiling Look
- Excellent Glare Control
- Ideal for Premium Interiors

MODEL: PINHOLE OVAL CUT



CREE PHILIPS | **OR OPTICS FULHAM**



Power	Outer Dia	Cutout	Body Color	Anti-Glare Reflector
7W	Ø62 x 45mm	Ø55mm	White / Black	Black / Rose Gold / Chrome
10W	Ø82 x 55mm	Ø75mm	White / Black	Black / Rose Gold / Chrome
15W	Ø95 x 65mm	Ø85mm	White / Black	Black / Rose Gold / Chrome

- Unique Oval Cut Design
- Low Glare & Focused Illumination
- Modular With Multiple Reflector Options
- Designer Finishes

MODEL: DELTA PLUS TWIN



CREE PHILIPS | **OR OPTICS FULHAM**



Power	Fixture Size	Cutout Size	Body Color	Anti-Glare Reflector
2 x 12W	200 x 100mm	185 x 85mm	White / Black	Silver / Black / Rose Gold / Chrome

- Modular Twin Design
- High Visual Comfort
- Ideal for Residential & Commercial Spaces
- Designer Finishes

MODEL: DELTA PLUS SURFACE



CREE PHILIPS | **OR OPTICS FULHAM**



Power	Fixture Size	Cutout Size	Body Color	Anti-Glare Reflector
2 x 12W	200 x 100 x 100mm	—	White / Black	Silver / Black / Rose Gold / Chrome

- Surface Mounted Design
- Clean & Modern Look
- Ideal for Ceilings & Walls
- Premium Finishes



MODULAR DESIGN



MULTIPLE FINISHES



LOW GLARE



PREMIUM AESTHETICS

SMALL MODULES.
BIG POSSIBILITIES.

EDISON

DELTA PLUS

MODULAR COB SPOT LIGHT

MODULAR LIGHTING
MORE POSSIBILITIES.

MODEL: TRIPLE CONCEALED

CREE PHILIPS
OROPTICS
FULHAM



Power	Fixture Size	Cutout Size	Body Colour	Anti-Glare Reflector	
3 x 7W	CONCIAL	240x80x82	220x70mm	White / Black	White / Black / Rose Gold / Chrome
3 x 10W	CONCIAL	300x100x82	280x90mm	White / Black	White / Black / Rose Gold / Chrome
3 x 12W	CONCIAL	400x100x82	380x90mm	White / Black	White / Black / Rose Gold / Chrome

- Sleek Minimal Design
- Low Glare & High Visual Comfort
- Multiple Reflector Options
- Ideal for Premium Interiors

MODEL: TRIPLE SURFACE

CREE PHILIPS
OROPTICS
FULHAM



Power	Fixture Size	Cutout Size	Body Colour	Anti-Glare Reflector	
3 x 12W	SURFACE	300x100x110	NA	White / Black / Rose Gold / Chrome	

- Surface Mounted Design
- Clean & Modern Look
- Uniform Illumination
- Suitable for Ceilings & Walls

MODEL: QUAD LINEAR PLUS

CREE PHILIPS
OROPTICS
FULHAM



Power	Fixture Size	Cutout Size	Body Colour	Anti-Glare Reflector	
4 x 10W	CONCIAL	160 x 160 x 100	150 x 150mm	White / Black	White / Black / Rose Gold / Chrome
4 x 10W	CONCIAL	200 x 200 x 100	185 x 185mm	White / Black	White / Black / Rose Gold / Chrome
4 x 12W	SURFACE	200 x 200 x 110	NA	White / Black	White / Black / Rose Gold / Chrome

- Modular Square Design
- High Performance COB
- Multiple Finishes & Reflectors
- Ideal for Residential & Commercial Spaces

MODEL: GLAZE SPOT

CREE PHILIPS
Stanford
FLEXALEN



Power	Fixture Size	Cutout Size	Body Colour	Reflector
7W	Ø45 x 100mm	Ø40mm	White	Black / Gold
12W	Ø60 x 130mm	Ø55mm	Black	Black / Gold

- Adjustable & Rotatable
- Focused Precision Lighting
- Sleek Architectural Design
- Ideal for Accent Lighting

MODEL: BUTTON SPOT

CREE PHILIPS
FULHAM



Power	Fixture Size	Cutout Size	Reflector Colour
7W	Ø80 x 70mm	Ø75mm	White / Black

- Compact & Elegant Design
- Wide Beam Options
- Premium Reflector Finish
- Ideal for Feature Lighting



MODULAR DESIGN



MULTIPLE FINISHES



LOW GLARE



PREMIUM AESTHETICS

SMALL MODULES.
BIG POSSIBILITIES.

EDISON

COB SPOT LIGHT S E R I E S

FOCUSED LIGHT.
GREATER POSSIBILITIES.

MODEL: CLASSIC COB SPOT



CREE PHILIPS | **GE OPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
12W	Ø68 × H68mm	Ø55mm	White / Black
18W	Ø75 × H75mm	Ø65mm	White / Black
30W	Ø100 × H87mm	Ø90mm	White / Black

- High Performance COB
- Excellent Beam Control
- Premium Aluminium Build
- Ideal for Accent & General Lighting

MODEL: WALL WASH COB SPOT

With Built-in
PIR & Dusk to Dawn
SENSOR



CREE PHILIPS | **GE OPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
12W	Ø95 × H95mm	Ø75mm	White / Black

- PIR & Dusk to Dawn Sensor
- Wall Wash Optics
- Uniform Light Distribution
- Ideal for Corridors & Walls

MODEL: SURFACE COB SPOT

CREE PHILIPS | **GE OPTICS FULHAM**



Power	Fixture Size	Body Colour	Reflector Colour
7W	Ø55 × H90mm	White / Black	White / Black
12W/15W	Ø75 × H110mm	White / Black	Chrome / Black
18W/30W	Ø95 × H130mm	White / Black	Gold / Rose Gold
30W/40W	Ø130 × H150mm	White / Black	White / Black

- Modern Surface Mounted Design
- Multiple Colour Combinations
- Premium Finish
- Suitable for Residential & Commercial Spaces

MODEL: L MAGNET UNION



CREE PHILIPS | **FULHAM**



Power	Fixture Size	Body Colour	Reflector Colour
7W	Ø52 × H77mm	White / Black	Shiny Black
12W	Ø72 × H107mm	White / Black	Shiny Black
18W	Ø85 × H130mm	White / Black	Shiny Black

- Adjustable & Rotatable
- Magnetic Design
- Sleek & Minimal Look
- Ideal for Accent Lighting

MODEL: NORA ADJUSTABLE



Down light

Pull Version

CREE PHILIPS | **Stanford FULHAM**



Power	Outer Dia	Cutout	Body Colour	Anti-Glare
7W	Ø68 × H68mm	Ø55mm	White / Black	Lens
12W	Ø91 × H91mm	Ø85mm	White / Black	Lens
18W	Ø112 × H112mm	Ø105mm	White / Black	Lens
30W	Ø136 × H129mm	Ø125mm	White / Black	Lens

- High CRI COB Module for True Colour Rendering
- Anti-Glare Honeycomb Available
- Interchangeable Modules
- CCT & Beam Options



PREMIUM OPTICS



MODULAR DESIGN



HIGH EFFICIENCY



LOW GLARE

SMALL MODULES.
BIG POSSIBILITIES.

EDISON

ASTORIA & SLIM BAMBOO

SPOT SERIES

MINIMAL FORM.
MAXIMUM IMPACT.

MODEL: ASTORIA SPOT



CREE PHILIPS | **GEOPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
7W	Ø64 × H79 mm	Ø55 mm	White
12W	Ø84 × H100 mm	Ø75 mm	White
20W	Ø100 × H120 mm	Ø95 mm	White

- High CRI COB Module Spot Light with Changeable Ring
- Anti-Glare Honeycomb Available
- 15° / 24° / 36° Degree Tilttable

MODEL: SLIM BAMBOO ZOOM



CREE PHILIPS | **GEOPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
7W	Ø50 × H90 mm	Ø45 mm	White
12W	Ø60 × H120 mm	Ø55 mm	White
20W	Ø75 × H150 mm	Ø70 mm	White

- Slim & Minimal Design
- Zoomable Beam Angle
- Ideal for Accent Lighting

MODEL: LULU T SPOT



Power	Fixture Size	Cutout Size	Body Colour
7W	Ø40 × H120 mm	Ø35 mm	White / Black

CREE PHILIPS

- Slim Bamboo Design
- Clean Architectural Look
- Ideal for Hospitality & Residential Spaces

MODEL: ASTORIA WITH HONEYCOMB



CREE PHILIPS | **GEOPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
7W	Ø64 × H79 mm	Ø55 mm	White
12W	Ø84 × H100 mm	Ø75 mm	White
20W	Ø100 × H120 mm	Ø95 mm	White

- High CRI COB Module Spot Light with Changeable Ring
- Anti-Glare Honeycomb Included
- 15° / 24° / 36° Degree Tilttable

MODEL: BAMBOO ADJUSTABLE



CREE PHILIPS | **GEOPTICS FULHAM**



Power	Outer Dia	Cutout	Body Colour
7W	Ø50 × H85 mm	Ø45 mm	White
12W	Ø60 × H105 mm	Ø55 mm	White
20W	Ø75 × H130 mm	Ø70 mm	White

- Adjustable & Rotatable Spot
- Minimalistic Design
- Ideal for Accent & Wall Washing



MINIMAL DESIGN



FLEXIBLE APPLICATION



ANTI-GLARE OPTIONS



PREMIUM AESTHETICS

DETAILS
THAT DEFINE SPACES.

EDISON

ASTORIA & SLIM BAMBOO

SPOT SERIES

ARCHITECTURAL
PRECISION.
MODULAR FLEXIBILITY.

MODEL: DOUBLE ASTORIA SPOT



CREE PHILIPS **GEOPTICS FULHAM**



Power	Fixture Size	Cutout Size	Body Colour
2 × 7W	150 × 80	135 × 65 mm	White
2 × 12W	190 × 100	175 × 85 mm	White
2 × 20W	280 × 100	265 × 85 mm	White

- Elegant Twin Spotlight Design
- High CRI & Low Glare
- Multiple Beam Options
- Ideal for Residential & Commercial

MODEL: DOUBLE TRIMLESS ASTORIA



CREE PHILIPS **GEOPTICS FULHAM**



Power	Fixture Size	Cutout Size	Body Colour
2 × 7W	180 × 90 mm	160 × 75 mm	White
2 × 12W	230 × 110 mm	210 × 95 mm	White
2 × 20W	340 × 110 mm	320 × 95 mm	White

- Trimless & Minimal Aesthetic
- Seamless Ceiling Integration
- High Performance Optics
- Ideal for Premium Interiors

MODEL: COB CONE SPOT



CREE PHILIPS **GEOPTICS FULHAM**



Power	Fixture Size	Cutout Size	Reflector Colour
7W	Ø 70 × H 90 mm	Ø 60 mm	Black
12W	Ø 90 × H 110 mm	Ø 80 mm	Black

- Focused Cone Optics
- High Visual Comfort
- Deep Reflector Design
- Ideal for Accent Lighting

MODEL: DOUBLE SLIM BAMBOO



CREE PHILIPS **Stanford FULHAM**



Power	Fixture Size	Cutout Size	Body Colour
2 × 7W	150 × 60	135 × 45 mm	White
2 × 12W	190 × 60	175 × 45 mm	White
2 × 20W	280 × 60	265 × 45 mm	White

- Slim & Minimal Form
- Adjustable Spot Heads
- High Efficiency COB
- Ideal for Accent Lighting

MODEL: DOUBLE TRIMLESS SLIM BAMBOO



CREE PHILIPS **Stanford FULHAM**



Power	Fixture Size	Cutout Size	Body Colour
2 × 7W	180 × 60 mm	160 × 45 mm	White
2 × 12W	230 × 60 mm	210 × 45 mm	White
2 × 20W	340 × 60 mm	320 × 45 mm	White

- Trimless Slim Design
- Clean Architectural Look
- Adjustable & Rotatable
- Ideal for Modern Spaces



MODULAR DESIGN



PREMIUM OPTICS



LOW GLARE



FLEXIBLE APPLICATION

SMALL DETAILS.
BIG ATMOSPHERES.

EDISON

DOWNLIGHT & SPOT SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS

MODEL: SAVON SPOT



NEW

CREE PHILIPS FULHAM



Power	Cutout	Outer Dia	Height	Body Colour
7W	Ø 75 mm	Ø 85 mm	90 mm	White

- Sleek Minimal Design
- High Visual Comfort
- Perfect for Residential & Commercial Spaces

MODEL: KOLARA DOWN LIGHT



CREE PHILIPS FULHAM



Wattage	Cutout	Outer Dia	Height	Beam Angle
12W	Ø 125 mm	Ø 140 mm	38 mm	15°
18W	Ø 175 mm	Ø 190 mm	40 mm	15°
24W	Ø 200 mm	Ø 225 mm	42 mm	15°

- Uniform Light Distribution
- Elegant & Minimal Design
- Ideal for Ceilings & Walls
- Premium Finish

MODEL: PB PILLAR SPOT



IP 65

CREE PHILIPS FULHAM



Power	Cutout	Outer Dia	Height	Body	Reflector
12W	Ø 55 mm	Ø 60 mm	62 mm	White	Shiny Black
20W	Ø 68 mm	Ø 80 mm	72 mm	White	Shiny Black
30W	Ø 85 mm	Ø 100 mm	85 mm	White	Shiny Black

- High Performance Outdoor Rated
- Adjustable Beam Angle
- Durable & Weather Resistant
- Ideal for Facades & Pillars

MODEL: P 50 SPOT



NEW

IP 65

CREE PHILIPS FULHAM



Wattage	Cutout	Outer Dia	Height	Body	Reflector
12W	Ø 52 mm	Ø 62 mm	55 mm	White	Silver

- Compact & Powerful
- Ideal for Wet Locations
- Clean Architectural Look
- Long Lasting Performance


MODEL: KUBRA SURFACE



NEW

IP 65

CREE PHILIPS FULHAM



Wattage	Dia	Height	Body	Reflector
12W	Ø 62 mm	100 mm	Black / White	Black

- Surface Mounted Design
- Modern & Minimal Aesthetic
- Suitable for Indoor & Outdoor
- Ideal for Accent Lighting



PREMIUM DESIGN



HIGH EFFICIENCY



LOW GLARE



VERSATILE APPLICATION

LIGHT FOR A
BRIGHTER TOMORROW

EDISON

TRACK, SPOT & DOWNLIGHT S E R I E S

ARCHITECTURAL
LIGHTING SOLUTIONS

MODEL: LENS TRACK



CREE
PHILIPS

DURIOO
FULHAM



Power	Fixture Size	Diameter	Body Colour
12W	Ø80 × 115mm	50mm	White / Black
20W	Ø90 × 130mm	70mm	White / Black
30W	Ø100 × 150mm	100mm	White / Black


- Sleek Track Mounted Design
- Adjustable Beam Angle
- High CRI & Low Glare
- Ideal for Retail & Galleries

MODEL: BAMBOO ZOOM



CREE
PHILIPS

Stanford
FULHAM



Power	Fixture Size	Cutout Size	Body Colour
12W / 15W	Ø100 × 115mm	Ø95mm	White
20W	Ø120 × 130mm	Ø105mm	White
30W / 2	Ø120 × 145mm	Ø110-100mm	White
40W / 2	Ø150 × 165mm	Ø140-130mm	White

- Zoomable Beam Angle
- Multiple Configurations
- High Performance Optics
- Ideal for Commercial Spaces

MODEL: WALLE SPOT



CREE
PHILIPS

Stanford
FULHAM



Power	Fixture Size	Cutout Size	Body Colour
7W	Ø52 × 65mm	Ø48mm	White / Black
12W	Ø70 × 85mm	Ø65mm	White / Black
20W	Ø90 × 115mm	Ø75mm	White / Black
30W	Ø120 × 150mm	Ø105mm	White / Black

- Wall Wash & Accent Lighting
- Excellent Light Uniformity
- Minimal & Elegant Design
- Ideal for Hospitality & Retail

MODEL: DEEP CONE



CREE
PHILIPS

Stanford
FULHAM



Power	Fixture Size	Cutout Size	Body Colour
7W	Ø68 × 50mm	Ø60mm	White / Black / Chrome
12W	Ø82 × 60mm	Ø75mm	White / Black / Rose Gold
18W	Ø95 × 85mm	Ø85mm	White / Black / Full Black


- Deep Cone Design for Low Glare
- Premium Reflector Finish
- Multiple Colour Options
- Ideal for Accent Lighting

MODEL: DELTA COB



CREE
PHILIPS

Stanford
FULHAM



Power	Fixture Size	Cutout Size	Body Colour
7W	Ø52 × 80mm	Ø50mm	White / Black
12W	Ø62 × 85mm	Ø55mm	White / Black
30W	Ø82 × 105mm	Ø75mm	White / Black

- Multiple Reflector Options
(Rose Gold, Chrome, Gold, Black, Shiny Black)
- High CRI COB Module
- Ideal for Feature & Accent Lighting



PRECISION OPTICS



MODULAR DESIGN



LOW GLARE



PREMIUM FINISHES

LIGHT FOR A
BRIGHTER TOMORROW

EDISON

OUTDOOR SPOT & WALL WASHER SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS
FOR EXTERIORS

MODEL:

XL WALL WASHER



24V DC



Control Voltage	Fixture Length	Power	Beam Angle	Body Colour
24V Constant	1 Meter	24W	15° / 30° / 60°	Dark Grey

- Uniform Wall Grazing
- High Lumen Output
- Durable Outdoor Grade
- Ideal for Facades & Landscapes

MODEL:

QUADCORE WALL WASHER



Power	# of LEDs	Length	CCT	Beam Angle
10W	8 LEDs	0.5 Meter	3000K / 4000K	10° / 30° / 60°
20W	16 LEDs	1 Meter	3000K / 4000K	10° / 30° / 60°
30W	24 LEDs	1.5 Meter	3000K / 4000K	10° / 30° / 60°
40W	32 LEDs	2 Meter	3000K / 4000K	10° / 30° / 60°

- High Power Quad LED Design
- Superior Light Uniformity
- Multiple Length Options
- Ideal for Architectural Exteriors

MODEL:

24V SLIM WALL WASHER



24V DC



Control Voltage	Fixture Length	Power	Beam Angle	Body Colour
24V Constant	0.5 Meter	12W	15° / 30° / 60°	Dark Grey
24V Constant	1 Meter	24W	15° / 30° / 60°	Dark Grey
24V Constant	1.5 Meter	36W	15° / 30° / 60°	Dark Grey

- Slim & Minimal Design
- High Efficiency
- Clean Wall Grazing Effect
- Ideal for Landscapes & Buildings



MODEL:

HIGH POWER WALL WASHER (COB)



24V DC



Colour Temp.	Power	Fixture Length	Lens	Construction
3000K / 4000K	20W	1 Meter	Clear	Aluminium & Glass
3000K / 4000K	40W	1 Meter	Clear	Aluminium & Glass

- High Output COB LEDs
- Excellent Thermal Management
- Premium Build Quality
- Ideal for Accent & Facade Lighting

MODEL:

DMX 2 PORT CONTROLLER SYSTEM



Input Voltage	Output Port	# Channel	Programmes
24V DC	Single Port	8 Channel	Built-in / DIY
24V DC	Single Port	12 Channel	Built-in / DIY
24V DC	Single Port	24 Channel	Built-in / DIY

- Stable & Reliable DMX Control
- Multiple Channel Options
- Easy Integration
- Ideal for Dynamic Façade Lighting



WEATHER
RESISTANT



ENERGY
EFFICIENT



DURABLE
CONSTRUCTION



IDEAL FOR
EXTERIORS



ARCHITECTURAL
APPLICATIONS



PREMIUM
PERFORMANCE



LIGHT FOR A
BRIGHTER TOMORROW

EDISON

OUTDOOR UPLIGHTER & HIGHLIGHTER SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS
FOR EXTERIORS

MODEL: PILLAR UPLIGHTER



CREE PHILIPS FULHAM


Power	Fixture Length	Input Voltage	Beam Angle	Body Colour
10W	1 x 10W	3000K / 4000K	15° / 24° / 36°	Grey / Black

- Die-cast Aluminium Body
- Powder Coated
- Tempered Glass

MODEL: BOWL HIGHLIGHTER



NEW



Power	Type	Dimension (DxH)	Beam Angle	IP
30W	Round	Ø180 × 105mm	7°	IP 65
60W	Round	Ø240 × 130mm	7°	IP 65

- High Output LED
- Precision Optics
- Ideal for Facade & Landscape Highlighting

MODEL: CUBE LIGHTER



4W

7W



Power	Fixture Size	Beam Angle	IP
4W	62 × 75 × 85 mm	12° / 24°	IP 65
7W	84 × 88 × 67 mm	12°	IP 65

- Compact & Modern Design
- Suitable for Walls, Columns & Landscapes

MODEL: FACADE LIGHTER



Power	Type	Dimension (DxH)	Beam Angle	IP
10W	Round	Ø100 × 105 mm	8° / 15° / 30°	IP 65
20W	Round	Ø145 × 130 mm	8° / 15° / 30°	IP 65
30W	Square	120 × 120 × 110 mm	8° / 15° / 30°	IP 65
50W	Square	180 × 180 × 130 mm	8° / 15° / 30°	IP 65


- Rugged Construction
- Uniform Light Output
- Ideal for Facades & Monuments

MODEL: DELTA UPLIGHTER



With CAP

Without CAP



Power	Type	Dimension (DxH)	Beam Angle	IP
18-36W	Round	Ø140 × 90-130 mm	8° / 15° / 30°	IP 65
48-60W	Round	Ø180 × 134-130 mm	8° / 15° / 30°	IP 65

- Multiple Beam Angle Options
- With or Without Cap
- High Performance for Large Scale Applications



WEATHER
RESISTANT



HIGH
PERFORMANCE



ENERGY
EFFICIENT



ARCHITECTURAL
AESTHETICS



WIDE APPLICATION

BUILT FOR
A BRIGHTER TOMORROW

EDISON

OUTDOOR POST TOP & GARDEN LIGHT SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS
FOR LANDSCAPES

MODEL: SPIKE GROUND LIGHT



CREE PHILIPS FULHAM



Power	# of LEDs	Dimension (DxH)	Input	Body Material
6W	6 PCS	Ø100 × 120 mm	24V DC	Aluminium + S.S.
12W	12 PCS	Ø150 × 120 mm	24V DC	Aluminium + S.S.
18W	18 PCS	Ø200 × 120 mm	24V DC	Aluminium + S.S.

- In-Ground Uplighting
- High Strength & Weather Resistant
- Ideal for Landscapes, Trees & Facades

MODEL: GARDEN SPOT



CREE PHILIPS FULHAM



Power	Dimension (DxH)	Height	Beam Angle	Lumen
3W	Ø48 × 60 mm	90 mm	24° / 36° / 60°	240
6W	Ø75 × 100 mm	130 mm	24° / 36° / 60°	480

- Compact & Adjustable Design
- Precise Beam Control
- Ideal for Gardens, Pathways & Feature Lighting

MODEL: WALL STEP LIGHT



CREE PHILIPS FULHAM



Power	Dimension (LxWxH)	Body Colour	Mounting	Lumen
3W	120 × 120 × 50 mm	White	Recessed	120

- Subtle & Modern Design
- Glare-Free Illumination
- Ideal for Steps, Pathways & Low-Level Lighting

MODEL: PILLAR POST



Power	Material	Height (H)	Beam Angle	IP Level
7W	Aluminium	600 / 800 / 1000 mm	120°	IP 65

- Sleek & Minimal Design
- Durable Outdoor Construction
- Ideal for Pathways, Driveways & Landscapes

MODEL: GARDEN BOLLARD LIGHT



Power	Material	Height (H)	Beam Angle	IP Level
10W	Aluminium	600 / 800 / 1000 mm	120°	IP 65

- Elegant & Contemporary Design
- Uniform Light Distribution
- Ideal for Gardens, Walkways & Outdoor Spaces



WEATHER
RESISTANT



ENERGY
EFFICIENT



DURABLE
CONSTRUCTION



LOW
MAINTENANCE



PREMIUM
AESTHETICS



WIDE
APPLICATION

BUILT FOR
A BRIGHTER TOMORROW

EDISON

OUTDOOR POST TOP & GARDEN LIGHT SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS
FOR LANDSCAPES

MODEL:
KOLAR
POST TOP



Power	Solar Panel	Battery	Height	Beam Angle	IP Level
30/40W	Mono PERC	12.8V 24Ah	350mm	120°	IP 65

- Solar Powered
- High Lumen Output
- Durable Outdoor Design
- Ideal for Parks & Pathways



MODEL:
MODERN
POST TOP



Power	Dimension (DxH)	Base	Beam Angle	IP Level
60W	Ø600 x 620mm	76mm	120°	IP 65

- Sleek & Modern Design
- Uniform Light Distribution
- Ideal for Gardens, Walkways & Plazas



MODEL:
TRIANGULAR
GARDEN LIGHT



Power	Type	Dimension (DxH)	Base	IP Level
40W	Round	Ø600 x 450mm	76mm	IP 65

- Modern Architectural Form
- Glare Control
- Ideal for Gardens, Walkways & Open Spaces

MODEL:
SPIKE
GROUND LIGHT



Power	Type	Dimension (DxH)	Beam Angle	Body Colour
7W	Round	Ø60 x 140mm	24°	Black
12W	Round	Ø75 x 200mm	36°	Black

- High Performance Optics
- Adjustable Beam Angle
- Rugged Outdoor Build
- Ideal for Landscape Accent



MODEL:
FOCUS
GARDEN LIGHT



Power	Type	Dimension (DxH)	Beam Angle	IP Level
7W	Round	Ø75 x 155mm	24°	IP 65
12W	Round	Ø75 x 170mm	36°	IP 65

- Precision Beam Control
- Ideal for Trees & Facades
- Durable & Weather Resistant
- Creates Beautiful Nightscapes

OUTDOOR POST TOP & GARDEN LIGHT SERIES

ARCHITECTURAL
LIGHTING SOLUTIONS
FOR LANDSCAPES

MODEL:
KOLAR
POST TOP



Power	Solar Panel	Battery	Height	Beam Angle	IP Level
30/40W	Mono PERC	12.8V 24Ah	350mm	120°	IP 65

- Solar Powered
- High Lumen Output
- Durable Outdoor Design
- Ideal for Parks & Pathways



MODEL:
MODERN
POST TOP



Power	Dimension (DxH)	Base	Beam Angle	IP Level
60W	Ø600 x 620mm	76mm	120°	IP 65

- Sleek & Modern Design
- Uniform Light Distribution
- Ideal for Gardens, Walkways & Plazas



MODEL:
TRIANGULAR
GARDEN LIGHT



Power	Type	Dimension (DxH)	Base	IP Level
40W	Round	Ø600 x 450mm	76mm	IP 65

- Modern Architectural Form
- Glare Control
- Ideal for Gardens, Walkways & Open Spaces

MODEL:
SPIKE
GROUND LIGHT



Power	Type	Dimension (DxH)	Beam Angle	Body Colour
7W	Round	Ø60 x 140mm	24°	Black
12W	Round	Ø75 x 200mm	36°	Black

- High Performance Optics
- Adjustable Beam Angle
- Rugged Outdoor Build
- Ideal for Landscape Accent



MODEL:
FOCUS
GARDEN LIGHT



Power	Type	Dimension (DxH)	Beam Angle	IP Level
7W	Round	Ø75 x 155mm	24°	IP 65
12W	Round	Ø75 x 170mm	36°	IP 65

- Precision Beam Control
- Ideal for Trees & Facades
- Durable & Weather Resistant
- Creates Beautiful Nightscapes

LED & COB STRIP LIGHT SERIES

PRECISION LIGHTING
FOR MODERN SPACES

MODEL COB LED STRIP



Voltage	PCB Size	No. LEDs	Power	LED/Pack	CCT
24V	5mm	320/m	10W/m	5m	3000K

- Seamless linear light with uniform glow
- Ideal for premium interior & exterior applications

MODEL SMD LED STRIP



Voltage	Size	LED/meter	Power	LED/Pack	CCT
24V	8mm	120/m	9.6W/m	5m	3000K

- High efficiency SMD for vibrant illumination
- Suitable for indoor & outdoor applications

MODEL SCS BEND STRIP



Voltage	Size	LED/Pack	Power	Beam Angle	CCT
24V	12mm	5m	19W/m	120°	3000K

- Flexible side bend for curves & contours
- Perfect for creative lighting designs


MODEL NEON 360° LED STRIP



Voltage	PCB Size	No. LEDs	Power	LED/Pack	CCT
24V	8mm	240/m	10W/m	5m	3000K

- 360° uniform glow with dot-free illumination
- High brightness for premium applications

MODEL ALUMINIUM PROFILE



Length	Width	Height	Material	Finish	Installation
3m	20mm	7.5mm	Aluminium	Silver Black	Surface Recessed

- Premium profiles for clean installations
- Ideal for LED strip & COB applications



HIGH
EFFICIENCY



WIDE COLOUR
OPTIONS



EASY
INSTALLATION



DURABLE
PERFORMANCE



CUSTOM
LENGTHS

LIGHTING THAT
SHAPES BETTER SPACES

EDISON

LED & COB STRIP LIGHT SERIES

FLEXIBLE
LIGHTING SOLUTIONS
FOR EVERY SPACE

MODEL: SMD LED STRIP



Voltage	PCB Size	No. LEDs	Power	LED/PcS	CCT
24V	5mm	120/m	9.6W/m	2835	3000K
24V	5mm	120/m	9.6W/m	2835	4000K
24V	8mm	120/m	9.6W/m	2835	3000K
24V	8mm	120/m	9.6W/m	2835	4000K

- Flexible & Versatile
- Ideal for Indoor & Outdoor Applications

MODEL: SILICONE LED STRIP



Voltage	PCB Size	No. LEDs	Power	LED/PcS	CCT
24V	12mm	120/m	9.6W/m	2835	3000K

- Silicone Protection for Harsh Environments
- IP67 Waterproof

MODEL: COB LED STRIP



Voltage	PCB Size	No. LEDs	Power	CCT
24V	8mm	320/m	10W/m	3000K
24V	8mm	320/m	10W/m	4000K
24V	8mm	320/m	10W/m	6000K
24V	5mm	320/m	10W/m	3000K
24V	5mm	320/m	10W/m	4000K

- Seamless Linear Light Output
- Dot-Free Illumination


MODEL: NEON FLEX STRIP



Voltage	PCB Size	No. LEDs	Power	Colour	CCT
24V	8mm	120/m	9.6W/m	R/G/B	-
24V	8mm	120/m	9.6W/m	CCT	3000K
24V	8mm	120/m	9.6W/m	CCT	6000K

- Dot-Free Neon Effect
- Available in Multiple Colours

MODEL: SCS BEND STRIP



Voltage	Size	No. LEDs	Power	LED/PcS	CCT
24V	10mm	240/m	19W/m	2835	2700K

- Flexible and Bend to Curves & Contours
- Ideal for Creative Lighting Designs



FLEXIBLE
DESIGN



HIGH
EFFICIENCY



WIDE COLOUR
OPTIONS



EASY
INSTALLATION



LONG
LIFESPAN



INDOOR &
OUTDOOR USE

LIGHTING THAT
BRINGS SPACES TO LIFE

EDISON


LED POWER SUPPLY DRIVER

RELIABLE POWER FOR BRIGHTER SPACES

STABLE
EFFICIENT
LONG LASTING

MODEL

THIN TYPE
DRIVER



Power	Input Voltage	12VDC Output	24VDC Output	IP Level
60W	90-265V AC	12V 5A	24V 2.5A	IP 20
100W	90-265V AC	12V 8.3A	24V 4.16A	IP 20
150W	90-265V AC	12V 12.5A	24V 6.25A	IP 20
200W	90-265V AC	12V 16.7A	24V 8.3A	IP 20
250W	90-265V AC	-	24V 10.4A	IP 20
300W	90-265V AC	-	24V 12.5A	IP 20



OVERLOAD
PROTECTION



OVER TEMPERATURE
PROTECTION



SHORT CIRCUIT
PROTECTION

IP
20



Power	Input Voltage	48V DC Output	IP Level
120W	90-265V AC	48V 2.5A	IP 20
160W	90-265V AC	48V 3.3A	IP 20
200W	90-265V AC	48V 4.2A	IP 20



OVERLOAD
PROTECTION



OVER TEMPERATURE
PROTECTION



SHORT CIRCUIT
PROTECTION

MODEL

SLIM
POWER
SUPPLY



IP
20



MODEL

ULTRA
SLIM
DRIVER



Power	Input Voltage	12VDC Output	24VDC Output	Dimension
60W	90-265V AC	12V 5A	24V 2A	261x18.4xH23mm
100W	90-265V AC	12V 8.3A	24V 4.1A	318x18.5xH22.7mm
200W	90-265V AC	12V 16.7A	24V 8.3A	378x18xH22.7mm



OVERLOAD
PROTECTION



OVER TEMPERATURE
PROTECTION



SHORT CIRCUIT
PROTECTION

IP
20



Power	Input Voltage	12V DC Output	24V DC Output	Dimension
24W	90-265V AC	12V 2A	24V 1A	81x54xH19mm
48W	90-265V AC	12V 4A	24V 2A	81x54xH19mm
100W	90-265V AC	12V 8.3A	24V 4.2A	132x54xH19mm



OVERLOAD
PROTECTION



OVER TEMPERATURE
PROTECTION



SHORT CIRCUIT
PROTECTION

MODEL

COMPACT
POWER
SUPPLY



IP
67



MODEL

HEAVY
DUTY
DRIVER



Power	Input Voltage	12VDC Output	24VDC Output	IP Level
60W	90-265V AC	12V 5A	24V 2.5A	IP 67
100W	90-265V AC	12V 8.3A	24V 4.2A	IP 67
150W	90-265V AC	12V 12.5A	24V 6.25A	IP 67
200W	90-265V AC	12V 16.7A	24V 8.3A	IP 67



OVERLOAD
PROTECTION



OVER TEMPERATURE
PROTECTION



SHORT CIRCUIT
PROTECTION

IP
67



HIGH EFFICIENCY



COMPACT DESIGN




SAFE & RELIABLE

EDISON

SMART HOME AUTOMATION

ECOSYSTEM & DEVICES

CONNECT
CONTROL
LIVE SMARTER



DALI DIMMABLE LED POWER SUPPLY DRIVER

PRECISION CONTROL | RELIABLE PERFORMANCE

SMART
DIMMING
BRIGHTER
SPACES

MODEL

SLIM
DALI DT6
DRIVER



IP
20



Power	Input Voltage	DC Output	DALI	Power Factor	IP Level
100W	90-265V AC	24V 4.2A 100W	DT 6	0.99	IP 20
200W	90-265V AC	12V 8.2A 100W	DT 6	0.99	IP 20



DALI
DIMMING



STABLE
OUTPUT



HIGH
EFFICIENCY



LONG
LIFESPAN



IP
20



Power	Input Voltage	DC Output	DALI	Power Factor	IP Level
100W	90-265V AC	24V 4.2A 100W	DT 6	0.99	IP 20
200W	90-265V AC	12V 8.3A 200W	DT 6	0.99	IP 20



FLICKER
FREE



PRECISE
DIMMING



MULTI-
VOLTAGE



COMPACT
DESIGN



MODEL

SLIM
DALI DT6
DRIVER

MODEL

DALI DT6
CC LED
DRIVER



IP
20



Power	Input Voltage	C/P Voltage	C/P Current	DALI	η
6-12W	90-265V AC	8-40V	150-300mA	DT 6	0.9
16-20W	90-265V AC	8-40V	350-500mA	DT 6	0.9



CONSTANT
CURRENT



SMOOTH
DIMMING



RELIABLE
& SAFE



IDEAL FOR
DOWNLIGHTS



Power	Input Voltage	C/P Voltage	C/P Current	DALI	η
6-12W	90-265V AC	8-40V	150-300mA	DT 6	0.9
16-20W	90-265V AC	8-40V	350-850mA	DT 6	0.9



HIGH
EFFICIENCY



WIDE CURRENT
RANGE



LOW RIPLE



COMPACT
SIZE




MODEL

DALI DT6
CC LED
DRIVER

MODEL

DALI DT8
RGBW/RGB
DRIVER



IP
20



Power	Input Voltage	C/P Voltage	C/P Current	DALI	Dimension
6-12W	48 VDC	0-40V	150-350mA	DT 8	135x18x13mm
16-18W	48 VDC	0-40V	350-450mA	DT 8	135x18x13mm
6-12W	48 VDC	0-40V	150-350mA	DT 8	135x18x13mm
16-18W	48 VDC	0-40V	350-450mA	DT 8	135x18x13mm



RGBW / RGB
CONTROL



DT8
COMPATIBLE



HIGH
PERFORMANCE



COMPACT
MODULE

EDISON

ZigBee Smart Driver

TUNABLE & DIMMABLE

SMART
LIGHTING CONTROL
FOR MODERN SPACES



ZigBee Smart Drivers
SLIM

Power	Type	DC Output	Driver Type
6-12W	ECO DIP Switch	27-35V 150-350mA	ZigBee Smart
8-12W	CCT & Dimmable	36V 200-300mA	ZigBee Smart
12W	CCT & Dimmable	27-48V 299mA	ZigBee Smart
16W	CCT & Dimmable	27-38V 350mA	ZigBee Smart
18W	CCT & Dimmable	27-38V 450mA	ZigBee Smart
25W	CCT & Dimmable	27-35V 650mA	ZigBee Smart



TUNABLE
WHITE



DIMMABLE



ZIGBEE
CONTROL



LONG
LIFESPAN



ZigBee Round Drivers

Power	Type	DC Output	Driver Type
6-12W	Round DIP Switch	27-36V 150-280mA	ZigBee Smart
12-16W	Round DIP Switch	27-36V 280-420mA	ZigBee Smart



EASY
INSTALLATION



FLICKER
FREE



STABLE
PERFORMANCE



ZIGBEE
COMPATIBLE



ZigBee Smart CCT Strip Controller

Power	Type	DC Output	Driver Type
12W/24W/48W	CCT & Dimmable	12V 12W/24W 48W 10A	ZigBee Smart



APP
CONTROL




CCT
TUNABLE



SMOOTH
DIMMING



ZIGBEE
ECOSYSTEM



ZigBee Magnetic Driver

Power	Type	DC Output	Driver Type
6-12W	Magnetic Driver	8-40V 150-300mA	ZigBee Smart
15-20W	Magnetic Driver	8-40V 383-530mA	ZigBee Smart



MAGNETIC
MOUNTING



COMPACT
DESIGN



HIGH
EFFICIENCY



RELIABLE
PERFORMANCE



Wireless Zigbee Gateway
Can Connect 50 Devices



STABLE
CONNECTION



MULTI-DEVICE
SUPPORT



SMART HOME
INTEGRATION



EASY
SETUP



Zigbee Remote
Node, Scene & RGB



SCENE
CONTROL



RGB
CONTROL



TOUCH
PANEL



WIRELESS

Bluetooth (BLE+RF 2.4G)

Smart Driver Tunable & Dimmable

WIRELESS CONTROL
SMART DIMMING
FLEXIBLE LIGHTING



**BLE MESH Smart Driver
SLIM**

Power	Type	DC Output	Driver Type
7-12W	Slim DIP Switch	27-38V 150-300mA	BLE + 2.4G RF
15W	Regular	27-38V 400mA	BLE + 2.4G RF
16W	Regular	27-38V 400mA	BLE + 2.4G RF
18W	Regular	50-54V 300mA	BLE + 2.4G RF
18-25W	DIP Switch	27-38V 450-500mA	BLE + 2.4G RF
28-40W	DIP Switch	27-38V 700-1000mA	BLE + 2.4G RF



BLE + 2.4G RF



TUNABLE &
DIMMABLE



STABLE
PERFORMANCE



SLIM
DESIGN



BLE MESH Round Drivers

Power	Type	DC Output	Driver Type
7-12W	Round DIP Switch	27-38V 160-280mA	BLE + 2.4G RF
12-18W	Round DIP Switch	27-38V 280-430mA	BLE + 2.4G RF



COMPACT
SIZE



EASY
INSTALLATION



FLICKER
FREE



BLE + 2.4G RF
CONTROL



**BLE + 2.4G CCT / RGB
Strip Controller**

Power	Type	DC Output	Driver Type
120W/240W	Strip Controller	12V 120W / 24V 240W 10A	BLE + 2.4G RF



APP
CONTROL




CCT / RGB



MULTI-ZONE



WIDE
COMPATIBILITY



BLE MESH Magnetic Drivers

Power	Type	DC Output	Driver Type
6-20W	48V Magnetic Controller	9-40V 150-500mA	BLE + 2.4G RF



MAGNETIC
MOUNTING



HIGH
EFFICIENCY



COMPACT
DESIGN



RELIABLE
PERFORMANCE



Wireless BLE MESH Gateway
Can Connect 50 Devices



STABLE
CONNECTION



SMART HOME
INTEGRATION



2.4G RF Remote Control



MULTI-ZONE
CONTROL



EASY
TO USE



**2.4G RF Wireless Feather
Touch Scene Switch**



SCENE
CONTROL



MODERN
DESIGN

Bluetooth (BLE+RF 2.4G)

Smart Driver Tunable & Dimmable

WIRELESS CONTROL
SMART DIMMING
FLEXIBLE LIGHTING



**BLE MESH Smart Driver
SLIM**



Power	Type	DC Output	Driver Type
7-12W	Slim DIP Switch	27-38V 150-300mA	BLE + 2.4G RF
15W	Regular	27-38V 400mA	BLE + 2.4G RF
16W	Regular	27-38V 400mA	BLE + 2.4G RF
18W	Regular	50-54V 300mA	BLE + 2.4G RF
18-25W	DIP Switch	27-38V 450-500mA	BLE + 2.4G RF
28-40W	DIP Switch	27-38V 700-1000mA	BLE + 2.4G RF



BLE + 2.4G RF



TUNABLE &
DIMMABLE



STABLE
PERFORMANCE



SLIM
DESIGN



BLE MESH Round Drivers

Power	Type	DC Output	Driver Type
7-12W	Round DIP Switch	27-38V 160-280mA	BLE + 2.4G RF
12-18W	Round DIP Switch	27-38V 280-430mA	BLE + 2.4G RF



COMPACT
SIZE



EASY
INSTALLATION



FLICKER
FREE



BLE + 2.4G RF
CONTROL



**BLE + 2.4G CCT / RGB
Strip Controller**

Power	Type	DC Output	Driver Type
120W/240W	Strip Controller	12V 120W / 24V 240W 10A	BLE + 2.4G RF



APP
CONTROL




CCT / RGB



MULTI-ZONE



WIDE
COMPATIBILITY



BLE MESH Magnetic Drivers

Power	Type	DC Output	Driver Type
6-20W	48V Magnetic Controller	9-40V 150-500mA	BLE + 2.4G RF



MAGNETIC
MOUNTING



HIGH
EFFICIENCY



COMPACT
DESIGN



RELIABLE
PERFORMANCE



Wireless BLE MESH Gateway
Can Connect 50 Devices



STABLE
CONNECTION



SMART HOME
INTEGRATION



2.4G RF Remote Control



MULTI-ZONE
CONTROL



EASY
TO USE



**2.4G RF Wireless Feather
Touch Scene Switch**



SCENE
CONTROL



MODERN
DESIGN

SILICON FLEX PROFILE SERIES

FLEXIBLE LIGHTING. ENDLESS POSSIBILITIES.

PRECISION
PROFILES
FOR CREATIVE
SPACES



Model: 1010 FL

FRONT LIGHT

Flex Size:
10 x 10mm

Strip Size:
PCB 5mm

• AVAILABLE WITH STRIP*



1010 TOP
5mm PCB


Model: 1212 FL

FRONT LIGHT

Flex Size:
12 x 12mm

Strip Size:
PCB 8mm

• AVAILABLE WITH STRIP*



1212 TOP
8mm PCB


Model: 1616 FL

FRONT LIGHT

Flex Size:
16 x 16mm

Strip Size:
PCB 8-12mm

• AVAILABLE WITH STRIP*



1616 TOP
8-12mm PCB



Model: 2014 FL

FRONT LIGHT

Flex Size:
20 x 14mm

Strip Size:
PCB 8-12mm

• AVAILABLE WITH STRIP*



2014 TOP
8-12mm PCB

Model: 1322 V

FRONT LIGHT

Flex Size:
13 x 22mm

Strip Size:
PCB 5mm

TWO SIDE
V GROOVE
FLEX



1322 V GROOVE
5mm PCB

Model: 0410 SL

SIDE LIGHT

Flex Size:
04 x 10mm

Strip Size:
PCB 5mm



0410 SIDE VIEW
5mm PCB

Model: 0612 SL

SIDE LIGHT

Flex Size:
06 x 12mm

Strip Size:
PCB 5mm



0612 SIDE VIEW
5mm PCB

Model: 1010 3SL

3 SIDE LIGHT

Flex Size:
10 x 10mm

Strip Size:
PCB 5mm




1010 THREE SIDE
5mm PCB

Model: 1616 3SL

3 SIDE LIGHT

Flex Size:
16 x 16mm

Strip Size:
PCB 8-12mm




1616 THREE SIDE
8-12mm PCB

Model: 1513 3SL

3 SIDE 270°

Flex Size:
15 x 13mm

Strip Size:
PCB 8-10mm



1513 THREE SIDE
8-10mm PCB

Model: D22 360°

360° LIGHT

Flex Size:
Diameter 22mm

Strip Size:
PCB 8mm



D22mm 360°
8mm PCB

Model: 1010 BLFL

FRONT LIGHT

Flex Size:
10 x 10mm

Strip Size:
PCB 5mm





1010 TOP
5mm PCB

Model: 1616 BLFL

FRONT LIGHT

Flex Size:
16 x 16mm

Strip Size:
PCB 8-12mm



1616 TOP
8-12mm PCB

Accessories

END COVER

Endcap:
With Hole / Plain



End cap



FLEXIBLE DESIGN



EASY INSTALLATION



DURABLE & RELIABLE

EDISON

EDISON

L I G H T I N G

BANGALORE

Edison Lighting

#704, GROUND FLOOR, 5TH E CROSS, 2ND BLOCK, KALYAN NAGAR, BANGALORE - 560043.

MOBILE : 9731196786

OFFICE : 9980727711

EMAIL : sogi@edisonlighting.in

HYDERABAD

Edison Lighting

1ST FLOOR, PINK COCONUT BUILDING JUBILEE HILLS ROAD NO.13 HYDERABAD TELANGANA-500033

MOBILE : 9666666808

OFFICE : 9889886867

EMAIL : sales.hyd@edisonlighting.in

[VIEW FULL COLLECTION](#)

Discover what we are creating next.

